

# The approximate conformal mapping onto simply and doubly connected domains

Abzalilov D., Shirokova E.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

---

## Abstract

© 2016 Informa UK Limited, trading as Taylor & Francis Group. A new method of approximate conformal mapping of the unit disk onto a simply connected domain and of an annulus onto a doubly connected domain with smooth boundaries is presented. The method is based on integral equations solution which is reduced to a linear system solution and does not require iterations. The mapping function has the form of a Taylor or a Laurent polynomial defined on the unit disk or on the annulus, respectively. The method is easily computable.

<http://dx.doi.org/10.1080/17476933.2016.1227978>

---

## Keywords

Conformal mapping, doubly connected domain, Fredholm integral equation, simply connected domain

## References

- [1] Wegmann R. An iterative method for conformal mapping. J. Comput. Appl. Math. 1986;14:7-18.
- [2] Wegman R, Nasser MMS. The Riemann--Hilbert problem and the generalized Neumann kernel on multiply connected regions. J. Comput. Appl. Math. 2008;214:36-57.
- [3] Warschawski SE. On conformal mapping of variable regions. Nat. Bur. Stand. 1952;18:175-187.
- [4] Warschawski SE. On the solution of the Lichtenstein--Gersgorin integral equation in conformal mapping:I. Theory. Nat. Bur. Stand. Appl. Math. Ser. 1955;42:7-29.
- [5] Shirokova EA. On the approximate conformal mapping of the unit disk on a simply connected domain. Russian Math. 2014;58:47-56.
- [6] DeLillo TK. The accuracy of numerical conformal mapping methods:a survey of examples and results. SIAM J. Numer. Anal. 1994;31:788-812.
- [7] Gakhov FD. Boundary value problems. Oxford:Pergamon Press; 1966.
- [8] Wegmann R, Murid AHM, Nasser MMS. The Riemann--Hilbert problem and the generalized Neumann kernel. J. Comput. Appl. Math. 2005;182:388-415.